





100001497.idw

LOADING CRITERIA: N/A

SURFACE:	TraxPlate™	FINISH:	Galvanized
WEIGHT:	539.1 lbs	MARKING:	None

Infrastructure
JENSEN
527 Dunn Circle, Sparks, NV 89431
775-352-2716 FAX: 755-358-8127
JENSENMETALTECH.COM

©2026 Jensen Infrastructure - All rights reserved.
All materials appearing as Jensen Infrastructure documents and the like are proprietary work product and are protected under U.S. copyright and other laws. Unless in conjunction with business conducted with Jensen Infrastructure , any use of Jensen Infrastructure work product without express, written consent is prohibited, and recipient is prohibited from distributing any and all work product to non-approved third parties under penalty of civil action.
This product shall only be produced in a Jensen Infrastructure facility.

DESCRIPTION: CAS2-3660-AH-TRX-G-BD-SG-GR-PG&E-OH08-SPLICE FVT

36x60 Standard Cover Assembly (Loading Criteria Per N/A, Steel, Hinged, Pickhole, TraxPlate™, Galvanized, Sight Glass, PG&E SPLICE FVT) 08


REV: D-1-1


SHEET: 1

PART NUMBER:	100001497	DRAWN BY:	R. Dohr
CREATED:	9/23/2022	MODIFIED:	2/2/2026

BILL OF MATERIALS

ITEM	ITEM QTY	QTY	PART NUMBER	DESCRIPTION	PART NAME
1	1	1	200068827	DAS2-T-3660-H-TRX-G-CL-SG-PG&E-SPLICE FVT	200068827
2	1	1	200068823	DAS2-B-3660-H-TRX-G-BD-PG&E-SPLICE FVT	200068823
3	1	1	200068829	FAS-3660-AH-G-GR-PG&E-OH07-SPLICE FVT	200068829
4	2	2	200068660	PG&E FVT SAFETY LATCH	200068660
5	10	10	100026256	LOW-STRENGTH STEEL FLANGE NUT, 1/2" - 13 THREAD SIZE	100026256
6	17	17	100011418	WASHER FLAT 1/2 NARROW ZINC	100011418
7	10	10	100007939	CAP VINYL .467 X 1/2	100007939
8	1	1	100007928	SIGHT GLASS	100007928
9	16	16	100007925	PAD INSULATING POLYURETHANE LARGE 4.00 X 2.75	100007925
10	33	33	100007882	Rivet Blind Grip .1875" Large Domed Head Range-0.376-0.5" Steel	100007882
11	4	4	100007873	BOLT SHCS 3/8-16 X 1-1/4 PLATED	100007873
12	4	4	100007869	BOLT SHCS 1/2-13 X 1-3/4 SS	100007869
13	4	4	100007859	RIVET NUT 3/8-16 FLAT KNURLED	100007859
14	4	4	100044236	BOLT HEX 1/2-13 UNC 4 ZINC GR5	100044236
15	8	8	100007733	Bolt Socket Flat Countersunk Head - 1/2-13 UNC - Grade 5 - Zinc - FT - 1"	100007733
16	2	2	100007896	TORSION HEX ROD 9/16 X 36 RAW	100007896
17	3	3	100007562	NAME PLATE PLEXI PG&E	100007562
18	2	2	100007492	HEX NUT NYLOCK - 1/2-13 UNC - GR5 - ZINC	100007492
19	1	1	100005058	NAME PLATE CAST ALUM PG&E - HIGH VOLTAGE	100005058
20	8	8	100007749	BOLT PENTA 1/2-13 UNC 0.875 HEAD 2.25L SS DRILLED	100007749
21	5	5	100003823	Hex Bolt 1/2-13 UNC ZINC - PT - 1.5"	100003823
22	2	2	100003484	Hex Bolt 1/2-13 UNC ZINC - FT - 0.75"	100003484
23	2	2	200069493	HINGE ASSY PG&E FVT LEFT .5625	200069493
24	2	2	200073923	HINGE ASSY SOLID PG&E FVT TRANSFORMER RIGHT	200073923
25	2	2	100041563	16" CHAIN SAFETY W/WASHER	100041563
26	8	8	200072509	Square Strut Channel Nut, 1/2"-13 Thread Size	200072509
27	2	2	100007672	SPRING MOUNT ASSY .562	100007672
28	4	4	100005056	LEVELING BOLT 9.5 SHIM PLATE	100005056





100001497.idw

REVISION HISTORY		
REV	DESCRIPTION	DATE
A-1	INITIAL DESIGN	10/3/2022
B-1	UPDATED WELD NOTES AND ADDED WELD TABS TO IMPROVE QUALITY, CHANGED TO SQUARE NUT DESIGN PER PG&E REQUEST	3/28/2023
C-2	UPDATED NOTES AND WELD CALLOUTS PER PG&E COMMENTS DURING TRANSFORMER TESTING; CHANGED TO 2.25" COVER BOLTS; ADDED VISUAL WELDS FOR MFG PRECISION; CORRECTED TORSION ASSIST	6/5/2023
D-1	ADDED (4) SHIM PLATES, ADDED GALV DRAIN HOLES TO STIFFENER CORNERS, CHANGED LEVELING BOLTS TO BE 4" LONG	1/16/2024
D-1-1	REPLACED J CONE BASE WITH CAM TOWER BASE	2/2/2026

MATERIAL FINISH: Galvanized

MATERIAL SURFACE: TraxPlate™

Infrastructure JENSEN

527 Dunn Circle, Sparks, NV 89431
775-352-2716 FAX: 755-358-8127
JENSENMETALTECH.COM

©2026 Jensen Infrastructure - All rights reserved.
All materials appearing as Jensen Infrastructure documents and the like are proprietary work product and are protected under U.S. copyright and other laws. Unless in conjunction with business conducted with Jensen Infrastructure , any use of Jensen Infrastructure work product without express, written consent is prohibited, and recipient is prohibited from distributing any and all work product to non-approved third parties under penalty of civil action.
This product shall only be produced in a Jensen Infrastructure facility.

PART NUMBER & DESCRIPTION: 100001497 — CAS2-3660-AH-TRX-G-BD-SG-GR-PG&E-OH08-SPLICE FVT

REV: D-1-1

WEIGHT: 539.1 Lbs

DRAWN BY: R. Dohr


CREATED: 9/23/2022


MODIFIED: 2/2/2026

SHEET: 2

BILL OF MATERIALS

ITEM	UNIT QTY	QTY	PART NUMBER	DESCRIPTION	PART NAME
1	91.923 lbmass	91.923 lbmass	100007735	Door Component Steel Plate, Bottom Nameplate	200068828
2	3.821 lbmass	7.643 lbmass	100007735	Door Component Steel Side Bar	200068826
3	18.012 lbmass	72.049 lbmass	100007734	Door Component Steel Channel	200068824
4	1.110 lbmass	2.220 lbmass	100007735	3660 FVT SPLICE HINGE SIDE BAR	200073929
5	0.636 lbmass	1.273 lbmass	100007735	Door Component Steel Lap Bar	200073934
6	1.638 lbmass	3.276 lbmass	100007735	PG&E NAME PLATE BACKING PLATE	100021175
7	1	1	100007929	SIGHT GLASS BUSHING ALUM	100007929
8	1	1	100007916	CLIP PICK HOLE 304SS	100007916
9	1	1	100007697	LIFT COVER STL	100007697
10	1	1	100007647	LIFTING BRACKET STEEL LEAF	100007647
11	1	4	100007728	NUT SELF-CLINCH 1/2-13 S-0813-1 RAW	100007728
12	1	4	100007675	CAM BASE	100007675





SECTION G-G




MATERIAL FINISH: Galvanized	Jensen Infrastructure 527 Dunn Circle, Sparks, NV 89431 775-352-2716 FAX: 755-358-8127 JENSENMETALTECH.COM	PART NUMBER & DESCRIPTION: 200068827 DAS2-T-3660-H-TRX-G-CL-SG-PG&E-SPLICE FVT	REV: D-1-1
MATERIAL SURFACE: TraxPlate™		WEIGHT: 182.53 Lbs CREATED: 9/23/2022	DRAWN BY: R. Dohr MODIFIED: 2/2/2026
			SHEET: 3


©2026 Jensen Infrastructure - All rights reserved. All materials appearing as Jensen Infrastructure documents and the like are proprietary work product and are protected under U.S. copyright and other laws. Unless in conjunction with business conducted with Jensen Infrastructure , any use of Jensen Infrastructure work product without express, written consent is prohibited, and recipient is prohibited from distributing any and all work product to non-approved third parties under penalty of civil action. This product shall only be produced in a Jensen Infrastructure facility.

100001497.idw

BILL OF MATERIALS

ITEM	ITEM QTY	QTY	PART NUMBER	DESCRIPTION	PART NAME
1	4	72.049 lbmass	100007734	Door Component Steel Channel	200068824
2	1	92.256 lbmass	100007735	Door Component Steel Plate, Top Nameplate	200068825
3	2	7.643 lbmass	100007735	Door Component Steel Side Bar	200068826
4	1	8.094 lbmass	100007735	Door Component Steel Lap Bar	200069884
5	2	2.220 lbmass	100007735	3660 FVT SPLICE HINGE SIDE BAR	200073929
6	2	1.273 lbmass	100007735	Door Component Steel Lap Bar	200073934
7	1	1	100007916	CLIP PICK HOLE 304SS	100007916
8	1	1	100007697	LIFT COVER STL	100007697
9	1	1	100007647	LIFTING BRACKET STEEL LEAF	100007647
10	4	4	100007728	NUT SELF-CLINCH 1/2-13 S-0813-1 RAW	100007728
11	2	3.276 lbmass	100007735	PG&E NAME PLATE BACKING PLATE	100021175
12	4	4	100007675	CAM BASE	100007675





100001497.idw

MATERIAL FINISH: Galvanized		PART NUMBER & DESCRIPTION: 200068823 DAS2-B-3660-H-TRX-G-BD-PG&E-SPLICE FVT	REV: D-1-1
MATERIAL SURFACE: TraxPlate™		WEIGHT: 190.8 Lbs	DRAWN BY: R. Dohr
		CREATED: 9/23/2022	MODIFIED: 2/2/2026
			SHEET: 4


Infrastructure JENSEN


527 Dunn Circle, Sparks, NV 89431
775-352-2716 FAX: 755-358-8127
JENSENMETALTECH.COM

©2026 Jensen Infrastructure - All rights reserved.
All materials appearing as Jensen Infrastructure documents and the like are proprietary work product and are protected under U.S. copyright and other laws. Unless in conjunction with business conducted with Jensen Infrastructure , any use of Jensen Infrastructure work product without express, written consent is prohibited, and recipient is prohibited from distributing any and all work product to non-approved third parties under penalty of civil action.
This product shall only be produced in a Jensen Infrastructure facility.

BILL OF MATERIALS


ITEM	ITEM QTY	QTY	PART NUMBER	DESCRIPTION	PART NAME
1	4	2.200 lbmass	100007734	Frame Component Steel	200068831
2	4	4	200018691	FRAME BOLT DOUBLER SLOT	200018691
3	2	65.876 lbmass	100007734	Frame Component Steel Frame Side, Adjustable	200068833
4	8	8	200069094	STANDOFF BOLTING PLATFORM	200069094
5	2	55.750 lbmass	100007734	Frame Component Steel Frame End, Adjustable	200068832
6	8	2.938 lbmass	100007734	SQUARE NUT BRACKET-CUSTOM PG&E FVT	200069093
7	8	1.839 lbmass	100007734	STANDOFF SIDEWALL	200069095
8	8	8	100007728	NUT SELF-CLINCH 1/2-13 S-0813-1 RAW	100007728
9	1	1	100007700	SIGHT GLASS LIGHT CLIP	100007700
10	4	4	100007695	FRAME LEVELING ANGLE	100007695
11	4	4	100007641	FRAME LIFTING BRACKET	100007641







SECTION N-N
SCALE .375

DETAIL P



SECTION K-K






MATERIAL FINISH: Galvanized	Infrastructure JENSEN 527 Dunn Circle, Sparks, NV 89431 775-352-2716 FAX: 755-358-8127 *JENSENMETALTECH.COM*	©2026 Jensen Infrastructure - All rights reserved. All materials appearing as Jensen Infrastructure documents and the like are proprietary work product and are protected under U.S. copyright and other laws. Unless in conjunction with business conducted with Jensen Infrastructure , any use of Jensen Infrastructure work product without express, written consent is prohibited, and recipient is prohibited from distributing any and all work product to non-approved third parties under penalty of civil action. This product shall only be produced in a Jensen Infrastructure facility.	PART NUMBER & DESCRIPTION: 200068829 FAS-3660-AH-G-GR-PG&E-OH07-SPLICE FVT REV: D-1-1
MATERIAL SURFACE: Smooth			WEIGHT: 133.61 Lbs DRAWN BY: R. Dohr CREATED: 9/23/2022 MODIFIED: 2/2/2026 SHEET: 5

100001497.idw

BURN LIST - BOM

PART NAME	ITEM QTY	QTY	DESCRIPTION	STOCK NUMBER	MATERIAL	MASS	SHEET
200068833	2	65.876 lbmass	Frame Component Steel Frame Side, Adjustable	100007734	STL ASTM A36 SM-HRPO 60X120 RAW .1875	32.938 lbmass	07
200068832	2	55.750 lbmass	Frame Component Steel Frame End, Adjustable	100007734	STL ASTM A36 SM-HRPO 60X120 RAW .1875	27.875 lbmass	08
200068828	1	91.923 lbmass	Door Component Steel Plate, Bottom Nameplate	100007735	STL ASTM A36 SM-HRPO RAW .250	91.923 lbmass	09
200068825	1	92.256 lbmass	Door Component Steel Plate, Top Nameplate	100007735	STL ASTM A36 SM-HRPO RAW .250	92.256 lbmass	10
200068826	4	15.286 lbmass	Door Component Steel Side Bar	100007735	STL ASTM A36 SM-HRPO RAW .250	3.821 lbmass	11
200073929	4	4.440 lbmass	3660 FVT SPLICE HINGE SIDE BAR	100007735	STL ASTM A36 SM-HRPO RAW .250	1.110 lbmass	12
200073934	4	2.545 lbmass	Door Component Steel Lap Bar	100007735	STL ASTM A36 SM-HRPO RAW .250	0.636 lbmass	13
200068824	8	144.097 lbmass	Door Component Steel Channel	100007734	STL ASTM A36 SM-HRPO 60X120 RAW .1875	18.012 lbmass	14
200069093	8	2.938 lbmass	SQUARE NUT BRACKET-CUSTOM PG&E FVT	100007734	STL ASTM A36 SM-HRPO 60X120 RAW .1875	0.367 lbmass	15
200069095	8	1.839 lbmass	STANDOFF SIDEWALL	100007734	STL ASTM A36 SM-HRPO 60X120 RAW .1875	0.230 lbmass	16
200068831	4	2.200 lbmass	Frame Component Steel	100007734	STL ASTM A36 SM-HRPO 60X120 RAW .1875	0.550 lbmass	17
200069884	1	8.094 lbmass	Door Component Steel Lap Bar	100007735	STL ASTM A36 SM-HRPO RAW .250	8.094 lbmass	18



10000149?.idw

MATERIAL FINISH: Galvanized

MATERIAL SURFACE: TraxPlate™

Infrastructure JENSEN
527 Dunn Circle, Sparks, NV 89431
775-352-2716 FAX: 755-358-8127
JENSENMETALTECH.COM

©2026 Jensen Infrastructure - All rights reserved.
All materials appearing as Jensen Infrastructure documents and the like are proprietary work product and are protected under U.S. copyright and other laws. Unless in conjunction with business conducted with Jensen Infrastructure , any use of Jensen Infrastructure work product without express, written consent is prohibited, and recipient is prohibited from distributing any and all work product to non-approved third parties under penalty of civil action.
This product shall only be produced in a Jensen Infrastructure facility.

PART NUMBER & DESCRIPTION: 100001497
CAS2-3660-AH-TRX-G-BD-SG-GR-PG&E-OH08-SPLICE FVT

REV: D-1-1


WEIGHT: 539.1 Lbs


DRAWN BY: R. Dohr


SHEET: 6


CREATED: 9/23/2022

MODIFIED: 2/2/2026









BEND TABLE			
BEND RADIUS	V-OPENING	BEND ANGLE	BEND DEDUCTION
0.125	2	90	0.3750

MATERIAL IFS: 100007734

MATERIAL THK: 0.1875

MAT DESCRIPTION: STL ASTM A36 SM-HRPO 60X120 RAW .1875

Infrastructure
JENSEN
527 Dunn Circle, Sparks, NV 89431
775-352-2716 FAX: 755-358-8127
JENSENMETALTECH.COM

©2026 Jensen Infrastructure - All rights reserved.
All materials appearing as Jensen Infrastructure documents and the like are proprietary work product and are protected under U.S. copyright and other laws. Unless in conjunction with business conducted with Jensen Infrastructure , any use of Jensen Infrastructure work product without express, written consent is prohibited, and recipient is prohibited from distributing any and all work product to non-approved third parties under penalty of civil action.
This product shall only be produced in a Jensen Infrastructure facility.

NAME & DESCRIPTION: 200068833
Frame Component Steel Frame Side, Adjustable

REV: D-1-1

WEIGHT: 32.938 lbmass


DRAWN BY: R. Dohr


CREATED: 9/23/2022

MODIFIED: 2/2/2026


SHEET: 7 OF 18


10000149?.idw











BEND TABLE			
BEND RADIUS	V-OPENING	BEND ANGLE	BEND DEDUCTION
0.125	2	90	0.3750

MATERIAL IFS: 100007734

MATERIAL THK: 0.1875

MAT DESCRIPTION: STL ASTM A36 SM-HRPO 60X120 RAW .1875

Infrastructure
JENSEN
527 Dunn Circle, Sparks, NV 89431
775-352-2716 FAX: 755-358-8127
JENSENMETALTECH.COM

©2026 Jensen Infrastructure - All rights reserved.
All materials appearing as Jensen Infrastructure documents and the like are proprietary work product and are protected under U.S. copyright and other laws. Unless in conjunction with business conducted with Jensen Infrastructure , any use of Jensen Infrastructure work product without express, written consent is prohibited, and recipient is prohibited from distributing any and all work product to non-approved third parties under penalty of civil action.
This product shall only be produced in a Jensen Infrastructure facility.

NAME & DESCRIPTION: 200068832
Frame Component Steel Frame End, Adjustable

REV: D-1-1

WEIGHT: 27.875 lbmass


DRAWN BY: R. Dohr

CREATED: 9/23/2022

MODIFIED: 2/2/2026

SHEET: 8 OF 18

100001497.idw




BEND TABLE				MATERIAL IFS: 100007735			
BEND RADIUS	V-OPENING	BEND ANGLE	BEND DEDUCTION	MATERIAL THK: 0.25			
-	-	-	-	MAT DESCRIPTION: STL ASTM A36 SM-HRPO RAW .250			

Infrastructure
JENSEN
527 Dunn Circle, Sparks, NV 89431
775-352-2716 FAX: 755-358-8127
JENSENMETALTECH.COM

©2026 Jensen Infrastructure - All rights reserved.
All materials appearing as Jensen Infrastructure documents and the like are proprietary work product and are protected under U.S. copyright and other laws. Unless in conjunction with business conducted with Jensen Infrastructure , any use of Jensen Infrastructure work product without express, written consent is prohibited, and recipient is prohibited from distributing any and all work product to non-approved third parties under penalty of civil action.
This product shall only be produced in a Jensen Infrastructure facility.

NAME & DESCRIPTION:	200068828 Door Component Steel Plate, Bottom Nameplate		REV: D-1-1
WEIGHT: 91.923 lbmass		DRAWN BY: R. Dohr	SHEET: 9 OF 18
CREATED: 9/23/2022		MODIFIED: 2/2/2026	

100001497.idw



BEND TABLE				MATERIAL IFS: 100007735
BEND RADIUS	V-OPENING	BEND ANGLE	BEND DEDUCTION	MATERIAL THK: 0.25
-	-	-	-	MAT DESCRIPTION: STL ASTM A36 SM-HRPO RAW .250


Infrastructure
JENSEN
527 Dunn Circle, Sparks, NV 89431
775-352-2716 FAX: 755-358-8127
JENSENMETALTECH.COM

©2026 Jensen Infrastructure - All rights reserved.
All materials appearing as Jensen Infrastructure documents and the like are proprietary work product and are protected under U.S. copyright and other laws. Unless in conjunction with business conducted with Jensen Infrastructure , any use of Jensen Infrastructure work product without express, written consent is prohibited, and recipient is prohibited from distributing any and all work product to non-approved third parties under penalty of civil action.
This product shall only be produced in a Jensen Infrastructure facility.

NAME & DESCRIPTION:	200068825 Door Component Steel Plate, Top Nameplate	REV: D-1-1
WEIGHT: 92.256 lbmass	DRAWN BY: R. Dohr	SHEET: 10 OF 18
CREATED: 9/23/2022	MODIFIED: 2/2/2026	

100001497.idw






BEND TABLE				MATERIAL IFS: 100007735
BEND RADIUS	V-OPENING	BEND ANGLE	BEND DEDUCTION	MATERIAL THK: 0.25
-	-	-	-	MAT DESCRIPTION: STL ASTM A36 SM-HRPO RAW .250

Infrastructure
JENSEN
527 Dunn Circle, Sparks, NV 89431
775-352-2716 FAX: 755-358-8127
JENSENMETALTECH.COM

©2026 Jensen Infrastructure - All rights reserved.
All materials appearing as Jensen Infrastructure documents and the like are proprietary work product and are protected under U.S. copyright and other laws. Unless in conjunction with business conducted with Jensen Infrastructure , any use of Jensen Infrastructure work product without express, written consent is prohibited, and recipient is prohibited from distributing any and all work product to non-approved third parties under penalty of civil action.
This product shall only be produced in a Jensen Infrastructure facility.

NAME & DESCRIPTION:		REV:
200068826 Door Component Steel Side Bar		D-1-1
WEIGHT: 3.821 lbmass	DRAWN BY: R. Dohr	SHEET: 11 OF 18
CREATED: 9/23/2022	MODIFIED: 2/2/2026	

100001497.idw



BEND TABLE			
BEND RADIUS	V-OPENING	BEND ANGLE	BEND DEDUCTION
-	-	-	-

MATERIAL IFS: 100007735

MATERIAL THK: 0.25

MAT DESCRIPTION: STL ASTM A36 SM-HRPO RAW .250

Infrastructure
JENSEN
527 Dunn Circle, Sparks, NV 89431
775-352-2716 FAX: 755-358-8127
JENSENMETALTECH.COM

©2026 Jensen Infrastructure - All rights reserved.
All materials appearing as Jensen Infrastructure documents and the like are proprietary work product and are protected under U.S. copyright and other laws. Unless in conjunction with business conducted with Jensen Infrastructure , any use of Jensen Infrastructure work product without express, written consent is prohibited, and recipient is prohibited from distributing any and all work product to non-approved third parties under penalty of civil action.
This product shall only be produced in a Jensen Infrastructure facility.

NAME & DESCRIPTION: 200073929
3660 FVT SPLICE HINGE SIDE BAR

REV: D-1-1

WEIGHT: 1.110 lbmass


DRAWN BY: R. Dohr

CREATED: 9/23/2022

MODIFIED: 2/2/2026

SHEET: 12 OF 18

100001497.idw




BEND TABLE				MATERIAL IFS: 100007735			
BEND RADIUS	V-OPENING	BEND ANGLE	BEND DEDUCTION	MATERIAL THK: 0.25			
-	-	-	-	MAT DESCRIPTION: STL ASTM A36 SM-HRPO RAW .250			


Infrastructure
JENSEN
527 Dunn Circle, Sparks, NV 89431
775-352-2716 FAX: 755-358-8127
JENSENMETALTECH.COM


©2026 Jensen Infrastructure - All rights reserved.
All materials appearing as Jensen Infrastructure documents and the like are proprietary work product and are protected under U.S. copyright and other laws. Unless in conjunction with business conducted with Jensen Infrastructure , any use of Jensen Infrastructure work product without express, written consent is prohibited, and recipient is prohibited from distributing any and all work product to non-approved third parties under penalty of civil action.
This product shall only be produced in a Jensen Infrastructure facility.


NAME & DESCRIPTION:	200073934 Door Component Steel Lap Bar		REV:
WEIGHT: 0.636 lbmass	DRAWN BY: R. Dohr		SHEET: 13 OF 18
CREATED: 9/23/2022	MODIFIED: 2/2/2026		

100001497.idw









BEND TABLE			
BEND RADIUS	V-OPENING	BEND ANGLE	BEND DEDUCTION
0.125	2	90	0.3750

MATERIAL IFS: 100007734

MATERIAL THK: 0.1875

MAT DESCRIPTION: STL ASTM A36 SM-HRPO 60X120 RAW .1875

Infrastructure JENSEN
527 Dunn Circle, Sparks, NV 89431
775-352-2716 FAX: 755-358-8127
JENSENMETALTECH.COM

©2026 Jensen Infrastructure - All rights reserved.
All materials appearing as Jensen Infrastructure documents and the like are proprietary work product and are protected under U.S. copyright and other laws. Unless in conjunction with business conducted with Jensen Infrastructure , any use of Jensen Infrastructure work product without express, written consent is prohibited, and recipient is prohibited from distributing any and all work product to non-approved third parties under penalty of civil action.
This product shall only be produced in a Jensen Infrastructure facility.

NAME & DESCRIPTION: 200068824 Door Component Steel Channel

REV: D-1-1

WEIGHT: 18.012 lbmass


DRAWN BY: R. Dohr


SHEET: 14 OF 18

CREATED: 9/23/2022

MODIFIED: 2/2/2026

100001497.idw





BEND TABLE			
BEND RADIUS	V-OPENING	BEND ANGLE	BEND DEDUCTION
0.125	1	90	0.3250

MATERIAL IFS: 100007734

MATERIAL THK: 0.1875

MAT DESCRIPTION: STL ASTM A36 SM-HRPO 60X120 RAW .1875

Infrastructure JENSEN
527 Dunn Circle, Sparks, NV 89431
775-352-2716 FAX: 755-358-8127
JENSENMETALTECH.COM

©2026 Jensen Infrastructure - All rights reserved.
All materials appearing as Jensen Infrastructure documents and the like are proprietary work product and are protected under U.S. copyright and other laws. Unless in conjunction with business conducted with Jensen Infrastructure , any use of Jensen Infrastructure work product without express, written consent is prohibited, and recipient is prohibited from distributing any and all work product to non-approved third parties under penalty of civil action.
This product shall only be produced in a Jensen Infrastructure facility.

NAME & DESCRIPTION: 200069093 SQUARE NUT BRACKET-CUSTOM PG&E FVT

REV: D-1-1

WEIGHT: 0.367 lbmass


DRAWN BY: R. Dohr

CREATED: 9/23/2022

MODIFIED: 2/2/2026

SHEET: 15 OF 18

100001497.idw




100001497.idw

BEND TABLE				MATERIAL IFS: 100007734			
BEND RADIUS	V-OPENING	BEND ANGLE	BEND DEDUCTION	MATERIAL THK: 0.1875			
-	-	-	-	MAT DESCRIPTION: STL ASTM A36 SM-HRPO 60X120 RAW .1875			

Infrastructure
JENSEN
527 Dunn Circle, Sparks, NV 89431
775-352-2716 FAX: 755-358-8127
JENSENMETALTECH.COM

©2026 Jensen Infrastructure - All rights reserved.
All materials appearing as Jensen Infrastructure documents and the like are proprietary work product and are protected under U.S. copyright and other laws. Unless in conjunction with business conducted with Jensen Infrastructure , any use of Jensen Infrastructure work product without express, written consent is prohibited, and recipient is prohibited from distributing any and all work product to non-approved third parties under penalty of civil action.
This product shall only be produced in a Jensen Infrastructure facility.

NAME & DESCRIPTION: 200069095 STANDOFF SIDEWALL		REV: D-1-1
WEIGHT: 0.230 lbmass	DRAWN BY: R. Dohr	SHEET: 16 OF 18
CREATED: 9/23/2022	MODIFIED: 2/2/2026	




BEND TABLE				MATERIAL IFS: 100007734
BEND RADIUS	V-OPENING	BEND ANGLE	BEND DEDUCTION	MATERIAL THK: 0.1875
-	-	-	-	MAT DESCRIPTION: STL ASTM A36 SM-HRPO 60X120 RAW .1875


Infrastructure
JENSEN
527 Dunn Circle, Sparks, NV 89431
775-352-2716 FAX: 755-358-8127
JENSENMETALTECH.COM


©2026 Jensen Infrastructure - All rights reserved.
All materials appearing as Jensen Infrastructure documents and the like are proprietary work product and are protected under U.S. copyright and other laws. Unless in conjunction with business conducted with Jensen Infrastructure , any use of Jensen Infrastructure work product without express, written consent is prohibited, and recipient is prohibited from distributing any and all work product to non-approved third parties under penalty of civil action.
This product shall only be produced in a Jensen Infrastructure facility.


NAME & DESCRIPTION:	200068831 Frame Component Steel	REV:
WEIGHT: 0.550 lbmass	DRAWN BY: R. Dohr	SHEET: 17 OF 18
CREATED: 9/23/2022	MODIFIED: 2/2/2026	

100001497.idw









BEND TABLE				MATERIAL IFS: 100007735
BEND RADIUS	V-OPENING	BEND ANGLE	BEND DEDUCTION	MATERIAL THK: 0.25
0.125	2	90	0.440	MAT DESCRIPTION: STL ASTM A36 SM-HRPO RAW .250

Infrastructure
JENSEN
527 Dunn Circle, Sparks, NV 89431
775-352-2716 FAX: 755-358-8127
JENSENMETALTECH.COM

©2026 Jensen Infrastructure - All rights reserved.
All materials appearing as Jensen Infrastructure documents and the like are proprietary work product and are protected under U.S. copyright and other laws. Unless in conjunction with business conducted with Jensen Infrastructure , any use of Jensen Infrastructure work product without express, written consent is prohibited, and recipient is prohibited from distributing any and all work product to non-approved third parties under penalty of civil action.
This product shall only be produced in a Jensen Infrastructure facility.

NAME & DESCRIPTION:	200069884 Door Component Steel Lap Bar	REV:
WEIGHT: 8.094 lbmass	DRAWN BY: R. Dohr	SHEET: 18 OF 18
CREATED: 9/23/2022	MODIFIED: 2/2/2026	

10000149?.idw