





100002325.idw

LOADING CRITERIA: ASTM C1802 Load Level 04

16,000 lb load on 10" x 20" footprint, without impact restricted to parking spaces and areas within close proximity of roadways.

SURFACE:	Diamond Plate	FINISH:	Raw
WEIGHT:	548.72 lbs	MARKING:	None

Infrastructure
JENSEN
527 Dunn Circle, Sparks, NV 89431
775-352-2716 FAX: 755-358-8127
JENSENMETALTECH.COM

©2025 Jensen Infrastructure - All rights reserved.
All materials appearing as Jensen Infrastructure documents and the like are proprietary work product and are protected under U.S. copyright and other laws. Unless in conjunction with business conducted with Jensen Infrastructure , any use of Jensen Infrastructure work product without express, written consent is prohibited, and recipient is prohibited from distributing any and all work product to non-approved third parties under penalty of civil action.
This product shall only be produced in a Jensen Infrastructure facility.


DESCRIPTION:	CAS2-5050-AH4-DP-R-CL-LL-SP-NVE-OH06-(504) 50x50 Standard Cover Assembly (Loading Criteria Per ASTM C1802 Load Level 04, Steel, Hinged, Handle (1 Per Door), Diamond Plate, Raw, Ladder Loops, NV Energy (504)) 06		
PART NUMBER:	100002325	DRAWN BY:	R. Dohr
CREATED:	1/8/2020	MODIFIED:	5/1/2025


REV: G-1-1

SHEET: 1

BILL OF MATERIALS

ITEM	ITEM QTY	QTY	PART NUMBER	DESCRIPTION	PART NAME
1	1	1	200034129	FAS-5050-AH-R-LL-SP-NVE-OH06-(504)	200034129
2	1	1	200034122	DAS2-B-5050-H4-DP-R-CL-LL-SP-NVE-(504)	200034122
3	1	1	200034127	DAS2-T-5050-H4-DP-R-CL-LL-SP-NVE-(504)	200034127
4	4	4	100007869	BOLT SOCKET CAP - 1/2-13 UNC - 1.75 - 316SS	100007869
5	4	4	100003823	Hex Bolt 1/2-13 UNC ZINC - PT - 1.5"	100003823
6	2	2	100007729	HEX NUT SLOTTED CASTLE HEAD 1/2-13 SS	100007729
7	2	2	100007857	NUT FINGER 1/2-13 BRASS	100007857
8	2	2	100007915	SPRING COMPRESSION 055 X 5/8 X 7/8 LONG	100007915
9	2	2	100007918	COTTER PIN 0.094DIA X 1-1/4	100007918
10	8	8	100007939	CAP VINYL .467 X 1/2	100007939
11	4	4	100007859	RIVET NUT 3/8-16 FLAT KNURLED	100007859
12	4	4	100007873	BOLT SHCS 3/8-16 X 1-1/4 PLATED	100007873
13	2	2	100007727	TORSION HEX ROD 1/2 X 36 RAW	100007727
14	2	2	100007492	HEX NUT NYLOCK - 1/2-13 UNC - GR5 - ZINC	100007492
15	2	2	100007924	LANYARD 3/64 W/PIN COATED SS	100007924
16	2	2	100007882	RIVET GRIP STEEL 3/16 X 7/16 LRG HD	100007882
17	2	2	100007659	HINGE ASSY STL LEFT .50	100007659
18	8	8	100011418	WASHER FLAT 1/2 NARROW ZINC	100011418
19	4	4	100005059	BOLT HEX 1/2-13 UNC 2.5 ZINC	100005059
20	8	8	100026256	LOW-STRENGTH STEEL FLANGE NUT, 1/2" - 13 THREAD SIZE	100026256
21	2	2	100007733	BOLT SOCKET FLAT COUNTERSUNK HEAD - 1/2-13 UNC - 1.00 - GR 5 - ZINC	100007733
22	2	2	100007933	SAFETY LATCH ASSY FOR UNI AND 90 D HINGE	100007933
23	2	2	100007876	Bolt Shoulder Socket Head - 3/8-16 UNC - SD-0.5" - SL-0.3125" - Grade 5 - Zinc	100007876
24	2	2	100007666	HINGE ASSY STL RIGHT	100007666
25	2	2	100007671	SPRING MOUNT ASSY .500	100007671
26	1	1	100007965	NAME PLATE ALUM FLAT - NV ENERGY	100007965
27	2	2	100007749	BOLT PENTA 1/2-13 UNC 0.875 HEAD 2.25L SS DRILLED	100007749





REVISION HISTORY	
DESCRIPTION	DATE
INITIAL RELEASE	3/4/2014
4272 BOLT DOUBLER, 4621 REDUCE O.D. .75	11/11/2014
5391 - REPLACED NAMEPLATE WITH P-000-601	2/10/2015
6042 - UPGRADED TO CAST CAM TOWERS	5/12/2015
9403 UPDATED TO USE REV F CAMTOWERS	3/16/2016
CONVERTED TO INVENTOR; REDESIGNED FOR MANUFACTURING AND DESIGN IMPROVEMENTS	3/25/2025
SWAPPED NAMEPLATE AND BOLT-DOWN HARDWARE TO MATCH ORIGINAL SOLIDWORKS DESIGN	5/1/2025

MATERIAL FINISH: Raw

MATERIAL SURFACE: Diamond Plate

Infrastructure JENSEN

527 Dunn Circle, Sparks, NV 89431
775-352-2716 FAX: 755-358-8127
JENSENMETALTECH.COM

©2025 Jensen Infrastructure - All rights reserved.
All materials appearing as Jensen Infrastructure documents and the like are proprietary work product and are protected under U.S. copyright and other laws. Unless in conjunction with business conducted with Jensen Infrastructure , any use of Jensen Infrastructure work product without express, written consent is prohibited, and recipient is prohibited from distributing any and all work product to non-approved third parties under penalty of civil action.
This product shall only be produced in a Jensen Infrastructure facility.

PART NUMBER & DESCRIPTION: 100002325 CAS2-5050-AH4-DP-R-CL-LL-SP-NVE-OH06-(504)

REV: G-1-1

WEIGHT: 548.72 Lbs

DRAWN BY: R. Dohr

SHEET: 2


CREATED: 1/8/2020

MODIFIED: 5/1/2025

100002325.idw

BURN LIST - BOM

PART NAME	ITEM QTY	QTY	DESCRIPTION	STOCK NUMBER	MATERIAL	MASS	SHEET
200034123	4	11.797 lbmass	Door Component Steel Side Bar	100007821	SHT STL GR80 SM-HRPO RAW .1875	2.949 lbmass	07
200034124	6	157.346 lbmass	Door Component Steel Channel	100007821	SHT STL GR80 SM-HRPO RAW .1875	26.224 lbmass	08
200034125	1	110.216 lbmass	Door Component Steel Plate, Bottom	100007736	SHT STL CQ DP RAW .25 - 36 KSI YIELD	110.216 lbmass	09
200034128	1	109.885 lbmass	Door Component Steel Plate, Top	100007736	SHT STL CQ DP RAW .25 - 36 KSI YIELD	109.885 lbmass	10
200034130	2	58.828 lbmass	Frame Component Steel Frame End, Adjustable Ladder Loops	100007734	STL ASTM A36 SM-HRPO 60X120 RAW .1875	29.414 lbmass	11
200034131	2	49.722 lbmass	Frame Component Steel Frame Side, Adjustable Ladder Loops	100007734	STL ASTM A36 SM-HRPO 60X120 RAW .1875	24.861 lbmass	12
200087254	1	6.541 lbmass	Door Component Steel Lap Bar 50in, 2.5" Stiffener Offset	100007735	STL ASTM A36 SM-HRPO RAW .250	6.541 lbmass	13
200092962	2	0.399 lbmass	Frame Cam Latch Catch Plate - A36, Dual Door, 0.8125" Overhang	100007734	STL ASTM A36 SM-HRPO 60X120 RAW .1875	0.200 lbmass	14
200099288	4	8.049 lbmass	Anti-Distortion Member	100007734	STL ASTM A36 SM-HRPO 60X120 RAW .1875	2.012 lbmass	15



100002325.idw

MATERIAL FINISH: Raw

MATERIAL SURFACE: Diamond Plate

Infrastructure JENSEN
527 Dunn Circle, Sparks, NV 89431
775-352-2716 FAX: 755-358-8127
JENSENMETALTECH.COM

©2025 Jensen Infrastructure - All rights reserved.
All materials appearing as Jensen Infrastructure documents and the like are proprietary work product and are protected under U.S. copyright and other laws. Unless in conjunction with business conducted with Jensen Infrastructure , any use of Jensen Infrastructure work product without express, written consent is prohibited, and recipient is prohibited from distributing any and all work product to non-approved third parties under penalty of civil action.
This product shall only be produced in a Jensen Infrastructure facility.

PART NUMBER & DESCRIPTION: 100002325
CAS2-5050-AH4-DP-R-CL-LL-SP-NVE-OH06-(504)

REV: G-1-1

WEIGHT: 548.72 Lbs

DRAWN BY: R. Dohr

CREATED: 1/8/2020


MODIFIED: 5/1/2025


SHEET: 3


BILL OF MATERIALS

ITEM	ITEM QTY	QTY	PART NUMBER	DESCRIPTION	PART NAME
1	2	2	100007970	CAM TOWER CAST STEEL	100007970
2	2	5.898 lbmass	100007821	Door Component Steel Side Bar	200034123
3	1	109.885 lbmass	100007736	Door Component Steel Plate, Top	200034128
4	3	78.673 lbmass	100007821	Door Component Steel Channel	200034124
5	1	1	100007646	HANDLE RETAINER STL	100007646
6	1	1	100007644	LEAF PULL HANDLE A36 3/8IN DIAMETER	100007644
7	2	2	100007647	LIFTING BRACKET STEEL LEAF	100007647
8	2	4.025 lbmass	100007734	Anti-Distortion Member	200099288


ALL WELDS TO USE E70 WELD WIRE OR HIGHER RATED WIRE







SECTION B-B



MATERIAL FINISH: Raw	Infrastructure JENSEN 527 Dunn Circle, Sparks, NV 89431 775-352-2716 FAX: 755-358-8127 *JENSENMETALTECH.COM*	©2025 Jensen Infrastructure - All rights reserved. All materials appearing as Jensen Infrastructure documents and the like are proprietary work product and are protected under U.S. copyright and other laws. Unless in conjunction with business conducted with Jensen Infrastructure , any use of Jensen Infrastructure work product without express, written consent is prohibited, and recipient is prohibited from distributing any and all work product to non-approved third parties under penalty of civil action. This product shall only be produced in a Jensen Infrastructure facility.	PART NUMBER & DESCRIPTION: 200034127 DAS2-T-5050-H4-DP-R-CL-LL-SP-NVE-(504)
MATERIAL SURFACE: Diamond Plate			WEIGHT: 201.66 Lbs DRAWN BY: R. Dohr CREATED: 1/8/2020 MODIFIED: 5/1/2025

REV: G-1-1


SHEET: 4


100002325.idw


BILL OF MATERIALS

ITEM	ITEM QTY	QTY	PART NUMBER	DESCRIPTION	PART NAME
1	1	110.216 lbmass	100007736	Door Component Steel Plate, Bottom	200034125
2	3	78.673 lbmass	100007821	Door Component Steel Channel	200034124
3	2	5.898 lbmass	100007821	Door Component Steel Side Bar	200034123
4	2	2	100007647	LIFTING BRACKET STEEL LEAF	100007647
5	1	1	100007644	LEAF PULL HANDLE A36 3/8IN DIAMETER	100007644
6	1	6.541 lbmass	100007735	Door Component Steel Lap Bar 50in, 2.5" Stiffener Offset	200087254
7	2	4.025 lbmass	100007734	Anti-Distortion Member	200099288


ALL WELDS TO USE E70 WELD WIRE OR HIGHER RATED WIRE







SECTION C-C




MATERIAL FINISH: Raw	Infrastructure JENSEN 527 Dunn Circle, Sparks, NV 89431 775-352-2716 FAX: 755-358-8127 *JENSENMETALTECH.COM*	©2025 Jensen Infrastructure - All rights reserved. All materials appearing as Jensen Infrastructure documents and the like are proprietary work product and are protected under U.S. copyright and other laws. Unless in conjunction with business conducted with Jensen Infrastructure , any use of Jensen Infrastructure work product without express, written consent is prohibited, and recipient is prohibited from distributing any and all work product to non-approved third parties under penalty of civil action. This product shall only be produced in a Jensen Infrastructure facility.	PART NUMBER & DESCRIPTION: 200034122 DAS2-B-5050-H4-DP-R-CL-LL-SP-NVE-(504)	REV: G-1-1
MATERIAL SURFACE: Diamond Plate			WEIGHT: 206.95 Lbs CREATED: 1/8/2020	DRAWN BY: R. Dohr MODIFIED: 5/1/2025	SHEET: 5


100002325.idw


BILL OF MATERIALS

ITEM	ITEM QTY	QTY	PART NUMBER	DESCRIPTION	PART NAME
1	4	4	200018691	FRAME BOLT DOUBLER SLOT	200018691
2	4	4	100007641	FRAME LIFTING BRACKET	100007641
3	2	58.828 lbmass	100007734	Frame Component Steel Frame End, Adjustable Ladder Loops	200034130
4	2	49.722 lbmass	100007734	Frame Component Steel Frame Side, Adjustable Ladder Loops	200034131
5	4	4	100007683	LADDER LOOP	100007683
6	1	1	100007667	NAME PLATE FRAME ANGLE	100007667
7	4	4	100007863	NUT LEVELER 1/2-13 WELDABLE CAST STEEL	100007863
8	2	2	100007728	NUT SELF-CLINCH 1/2-13 S-0813-1 RAW	100007728
9	2	0.399 lbmass	100007734	Frame Cam Latch Catch Plate - A36, Dual Door, 0.8125" Overhang	200092962

ALL WELDS TO USE E70 WELD WIRE OR HIGHER RATED WIRE








100002325.idw

MATERIAL FINISH: Raw	Infrastructure JENSEN 527 Dunn Circle, Sparks, NV 89431 775-352-2716 FAX: 755-358-8127 *JENSENMETALTECH.COM*	©2025 Jensen Infrastructure - All rights reserved. All materials appearing as Jensen Infrastructure documents and the like are proprietary work product and are protected under U.S. copyright and other laws. Unless in conjunction with business conducted with Jensen Infrastructure , any use of Jensen Infrastructure work product without express, written consent is prohibited, and recipient is prohibited from distributing any and all work product to non-approved third parties under penalty of civil action. This product shall only be produced in a Jensen Infrastructure facility.	PART NUMBER & DESCRIPTION: 200034129 FAS-5050-AH-R-LL-SP-NVE-OH06-(504)
MATERIAL SURFACE: Smooth			WEIGHT: 140 Lbs DRAWN BY: R. Dohr CREATED: 1/8/2020 MODIFIED: 5/1/2025

REV: G-1-1

SHEET: 6



BEND TABLE				MATERIAL IFS: 100007821
BEND RADIUS	V-OPENING	BEND ANGLE	BEND DEDUCTION	MATERIAL THK: 0.1875
-	-	- 0	-	MAT DESCRIPTION: SHT STL GR80 SM-HRPO RAW .1875


Infrastructure
JENSEN
527 Dunn Circle, Sparks, NV 89431
775-352-2716 FAX: 755-358-8127
JENSENMETALTECH.COM


©2025 Jensen Infrastructure - All rights reserved.
All materials appearing as Jensen Infrastructure documents and the like are proprietary work product and are protected under U.S. copyright and other laws. Unless in conjunction with business conducted with Jensen Infrastructure , any use of Jensen Infrastructure work product without express, written consent is prohibited, and recipient is prohibited from distributing any and all work product to non-approved third parties under penalty of civil action.
This product shall only be produced in a Jensen Infrastructure facility.


NAME & DESCRIPTION: 200034123 Door Component Steel Side Bar		REV: G-1-1
WEIGHT: 2.949 lbmass	DRAWN BY: R. Dohr	SHEET: 7 OF 15
CREATED: 1/8/2020	MODIFIED: 5/1/2025	


100002325.idw

PART IS SYMMETRIC










BEND TABLE				MATERIAL IFS: 100007821
BEND RADIUS	V-OPENING	BEND ANGLE	BEND DEDUCTION	MATERIAL THK: 0.1875
0.125	2	90	0.345	MAT DESCRIPTION: SHT STL GR80 SM-HRPO RAW .1875

Infrastructure JENSEN
527 Dunn Circle, Sparks, NV 89431
775-352-2716 FAX: 755-358-8127
JENSENMETALTECH.COM

©2025 Jensen Infrastructure - All rights reserved. All materials appearing as Jensen Infrastructure documents and the like are proprietary work product and are protected under U.S. copyright and other laws. Unless in conjunction with business conducted with Jensen Infrastructure , any use of Jensen Infrastructure work product without express, written consent is prohibited, and recipient is prohibited from distributing any and all work product to non-approved third parties under penalty of civil action. This product shall only be produced in a Jensen Infrastructure facility.

NAME & DESCRIPTION: 200034124 Door Component Steel Channel		REV: G-1-1
WEIGHT: 26.224 lbmass	DRAWN BY: R. Dohr	SHEET: 8 OF 15
CREATED: 1/8/2020	MODIFIED: 5/1/2025	

100002325.idw




100002325.idw

BEND TABLE				MATERIAL IFS: 100007736			
BEND RADIUS	V-OPENING	BEND ANGLE	BEND DEDUCTION	MATERIAL THK: 0.25			
-	-	- 0	-	MAT DESCRIPTION: SHT STL CQ DP RAW .25 - 36 KSI YIELD			

Infrastructure
JENSEN
527 Dunn Circle, Sparks, NV 89431
775-352-2716 FAX: 755-358-8127
JENSENMETALTECH.COM

©2025 Jensen Infrastructure - All rights reserved.
All materials appearing as Jensen Infrastructure documents and the like are proprietary work product and are protected under U.S. copyright and other laws. Unless in conjunction with business conducted with Jensen Infrastructure , any use of Jensen Infrastructure work product without express, written consent is prohibited, and recipient is prohibited from distributing any and all work product to non-approved third parties under penalty of civil action.
This product shall only be produced in a Jensen Infrastructure facility.

NAME & DESCRIPTION: 200034125 Door Component Steel Plate, Bottom		REV: G-1-1
WEIGHT: 110.216 lbmass	DRAWN BY: R. Dohr	SHEET: 9 OF 15
CREATED: 1/8/2020	MODIFIED: 5/1/2025	



100002325.idw


BEND TABLE				MATERIAL IFS: 100007736			
BEND RADIUS	V-OPENING	BEND ANGLE	BEND DEDUCTION	MATERIAL THK: 0.25			
-	-	- 0	-	MAT DESCRIPTION: SHT STL CQ DP RAW .25 - 36 KSI YIELD			


Infrastructure
JENSEN
527 Dunn Circle, Sparks, NV 89431
775-352-2716 FAX: 755-358-8127
JENSENMETALTECH.COM


©2025 Jensen Infrastructure - All rights reserved.
All materials appearing as Jensen Infrastructure documents and the like are proprietary work product and are protected under U.S. copyright and other laws. Unless in conjunction with business conducted with Jensen Infrastructure , any use of Jensen Infrastructure work product without express, written consent is prohibited, and recipient is prohibited from distributing any and all work product to non-approved third parties under penalty of civil action.
This product shall only be produced in a Jensen Infrastructure facility.

NAME & DESCRIPTION: 200034128 Door Component Steel Plate, Top		REV: G-1-1
WEIGHT: 109.885 lbmass	DRAWN BY: R. Dohr	SHEET: 10 OF 15
CREATED: 1/8/2020	MODIFIED: 5/1/2025	

PART IS NOT SYMMETRIC







BEND TABLE				MATERIAL IFS: 100007734
BEND RADIUS	V-OPENING	BEND ANGLE	BEND DEDUCTION	MATERIAL THK: 0.1875
0.125	2	90	0.375	MAT DESCRIPTION: STL ASTM A36 SM-HRPO 60X120 RAW .1875


Infrastructure JENSEN
527 Dunn Circle, Sparks, NV 89431
775-352-2716 FAX: 755-358-8127
JENSENMETALTECH.COM


©2025 Jensen Infrastructure - All rights reserved. All materials appearing as Jensen Infrastructure documents and the like are proprietary work product and are protected under U.S. copyright and other laws. Unless in conjunction with business conducted with Jensen Infrastructure , any use of Jensen Infrastructure work product without express, written consent is prohibited, and recipient is prohibited from distributing any and all work product to non-approved third parties under penalty of civil action. This product shall only be produced in a Jensen Infrastructure facility.

NAME & DESCRIPTION:	200034130 Frame Component Steel Frame End, Adjustable Ladder Loops	REV: G-1-1
WEIGHT: 29.414 lbmass	DRAWN BY: R. Dohr	SHEET: 11 OF 15
CREATED: 1/8/2020	MODIFIED: 5/1/2025	


100002325.idw


PART IS SYMMETRIC





100002325.idw






BEND TABLE				MATERIAL IFS: 100007734
BEND RADIUS	V-OPENING	BEND ANGLE	BEND DEDUCTION	MATERIAL THK: 0.1875
0.125	2	90	0.375	MAT DESCRIPTION: STL ASTM A36 SM-HRPO 60X120 RAW .1875

Infrastructure JENSEN

527 Dunn Circle, Sparks, NV 89431
775-352-2716 FAX: 755-358-8127
JENSENMETALTECH.COM

©2025 Jensen Infrastructure - All rights reserved.
All materials appearing as Jensen Infrastructure documents and the like are proprietary work product and are protected under U.S. copyright and other laws. Unless in conjunction with business conducted with Jensen Infrastructure , any use of Jensen Infrastructure work product without express, written consent is prohibited, and recipient is prohibited from distributing any and all work product to non-approved third parties under penalty of civil action.
This product shall only be produced in a Jensen Infrastructure facility.

NAME & DESCRIPTION:	200034131	REV:
Frame Component Steel Frame Side, Adjustable Ladder Loops		G-1-1
WEIGHT: 24.861 lbmass	DRAWN BY: R. Dohr	SHEET: 12 OF 15
CREATED: 1/8/2020	MODIFIED: 5/1/2025	



BEND TABLE			
BEND RADIUS	V-OPENING	BEND ANGLE	BEND DEDUCTION
-	-	- 0	-

MATERIAL IFS: 100007735

MATERIAL THK: 0.25

MAT DESCRIPTION: STL ASTM A36 SM-HRPO RAW .250

Infrastructure JENSEN
527 Dunn Circle, Sparks, NV 89431
775-352-2716 FAX: 755-358-8127
JENSENMETALTECH.COM

©2025 Jensen Infrastructure - All rights reserved.
All materials appearing as Jensen Infrastructure documents and the like are proprietary work product and are protected under U.S. copyright and other laws. Unless in conjunction with business conducted with Jensen Infrastructure , any use of Jensen Infrastructure work product without express, written consent is prohibited, and recipient is prohibited from distributing any and all work product to non-approved third parties under penalty of civil action.
This product shall only be produced in a Jensen Infrastructure facility.

NAME & DESCRIPTION: 200087254
Door Component Steel Lap Bar 50in, 2.5" Stiffener Offset

REV: G-1-1

WEIGHT: 6.541 lbmass


DRAWN BY: R. Dohr

CREATED: 1/8/2020

MODIFIED: 5/1/2025

SHEET: 13 OF 15

100002325.idw



BEND TABLE			
BEND RADIUS	V-OPENING	BEND ANGLE	BEND DEDUCTION
-	-	- 0	-

MATERIAL IFS: 100007734

MATERIAL THK: 0.1875

MAT DESCRIPTION: STL ASTM A36 SM-HRPO 60X120 RAW .1875

Infrastructure
JENSEN
527 Dunn Circle, Sparks, NV 89431
775-352-2716 FAX: 755-358-8127
JENSENMETALTECH.COM

©2025 Jensen Infrastructure - All rights reserved.
All materials appearing as Jensen Infrastructure documents and the like are proprietary work product and are protected under U.S. copyright and other laws. Unless in conjunction with business conducted with Jensen Infrastructure , any use of Jensen Infrastructure work product without express, written consent is prohibited, and recipient is prohibited from distributing any and all work product to non-approved third parties under penalty of civil action.
This product shall only be produced in a Jensen Infrastructure facility.

NAME & DESCRIPTION: 200092962
Frame Cam Latch Catch Plate - A36, Dual Door, 0.8125" Overhang

REV: G-1-1

WEIGHT: 0.200 lbmass


DRAWN BY: R. Dohr

CREATED: 1/8/2020

MODIFIED: 5/1/2025

SHEET: 14 OF 15

100002325.idw



BEND TABLE				MATERIAL IFS: 100007734
BEND RADIUS	V-OPENING	BEND ANGLE	BEND DEDUCTION	MATERIAL THK: 0.1875
-	-	- 0	-	MAT DESCRIPTION: STL ASTM A36 SM-HRPO 60X120 RAW .1875

Infrastructure
JENSEN
527 Dunn Circle, Sparks, NV 89431
775-352-2716 FAX: 755-358-8127
JENSENMETALTECH.COM

©2025 Jensen Infrastructure - All rights reserved.
All materials appearing as Jensen Infrastructure documents and the like are proprietary work product and are protected under U.S. copyright and other laws. Unless in conjunction with business conducted with Jensen Infrastructure , any use of Jensen Infrastructure work product without express, written consent is prohibited, and recipient is prohibited from distributing any and all work product to non-approved third parties under penalty of civil action.
This product shall only be produced in a Jensen Infrastructure facility.

NAME & DESCRIPTION:	200099288 Anti-Distortion Member	REV:	G-1-1
WEIGHT:	2.012 lbmass	DRAWN BY:	R. Dohr
CREATED:	1/8/2020	MODIFIED:	5/1/2025
		SHEET:	15 OF 15

100002325.idw