
NOTES
■ FOR COMPLETE DESIGN AND PRODUCT INFORMATION CONTACT JENSEN PRECAST.

BILL OF MATERIALS

ITEM	QTY	PART NUMBER	DESCRIPTION
1	1	200058088	RCP P48C Class 3 Bell - Spigot 96L
2	1	300154288	REINFORCING MAT 300154288
3	42.331 ft^3	100011427	CONCRETE MIX GENERIC 6000 PSI
4	2.518 ft^3	100011427	CONCRETE MIX GENERIC 6000 PSI



ISO VIEW

200082009.idw

CHANGE HISTORY			
NO.	DESCRIPTION	DATE	BY
1	PRELIMINARY SUBMITTAL	11/21/2023	EDC
2			
3			


BURY DEPTH:	to		
WATER LEVEL:		APPROX. WEIGHT:	8967.64 Lbs
DESIGN SPEC:	ASTM C507	LOADING SPEC:	Class 3
REINFORCEMENT TYPE:	Rebar,WWR Plain	LIFTING TYPE:	None

JENSEN PRECAST EST. 1968

WWW.JENSENPRECAST.COM

©2023 Jensen Precast- All rights reserved.
All materials appearing as Jensen Precast documents and the like are proprietary work product and are protected under U.S. copyright and other laws.
Unless in conjunction with business conducted with Jensen Precast, any use of Jensen Precast work product without express, written consent is prohibited, and recipient is prohibited from distributing any and all work product to non-approved third parties under penalty of civil action.

DESCRIPTION:	RCP P48C Class 3 Bell - Flared 84x99 123L Concrete Bell CASTING LAYOUT		REV: A-4
PART NUMBER:	200082009	DRAWN BY:	E CAMERON
CREATED:	10/31/2023	MODIFIED:	12/14/2023
			SHEET: 1 OF 2




PLAN VIEW


EXPOSE TRANSITIONING END OF PIPE & FLARED SECTION REINFORCING MAT A MINIMUM OF 12" AND DEPENDENT ON THE TRANSITION.

SPOT WELD OR TIE WWR AS REQUIRED TO HOLD WWR IN PLACE


BUILD UP COLLAR OF 6000 PSI CONCRETE ON OUTSIDE AND TROWEL SMOOTH INSIDE.



VIEW A-A



SECTION B-B



VIEW C-C

BURY DEPTH:	to		
WATER LEVEL:		APPROX. WEIGHT:	8967.64 Lbs
DESIGN SPEC:	ASTM C507	LOADING SPEC:	Class 3
REINFORCEMENT TYPE:	Rebar,WWR Plain	LIFTING TYPE:	None

JENSEN PRECAST EST. 1968

WWW.JENSENPRECAST.COM

©2023 Jensen Precast- All rights reserved.
All materials appearing as Jensen Precast documents and the like are proprietary work product and are protected under U.S. copyright and other laws.
Unless in conjunction with business conducted with Jensen Precast, any use of Jensen Precast work product without express, written consent is prohibited, and recipient is prohibited from distributing any and all work product to non-approved third parties under penalty of civil action.

DESCRIPTION:	RCP P48C Class 3 Bell - Flared 84x99 123L Concrete Bell CASTING DRAWING		REV: A-4
PART NUMBER:	200082009	DRAWN BY:	E CAMERON
CREATED:	10/31/2023	MODIFIED:	12/14/2023
			SHEET: 2 OF 2

200082009.idw